

# Aufbauübersicht für Elektrogeräte und Maschinen

## Data form for electrical equipment and machinery



Seite von  
Page 1 of 9

Auftraggeber / Applicant

Version: 0001 / 2014-09-01, changed: ...

|                                                          |                                                                                                     |                                                                                            |                                                                                                                                                                 |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Fertigungsstätte / Production facility:                  | same as above                                                                                       |                                                                                            |                                                                                                                                                                 |
| Geräteart / Type of equipment:                           | electric fireplace                                                                                  |                                                                                            |                                                                                                                                                                 |
| Typenbezeichnung / Type/model:                           | BG-C2, BG-04, BG-05                                                                                 |                                                                                            |                                                                                                                                                                 |
| Seriennr. / Serial no.:                                  | N/A                                                                                                 |                                                                                            |                                                                                                                                                                 |
| Nennspannung/Frequenz / Rated voltage/frequency:         | 220-240V~ 50-Hz                                                                                     |                                                                                            |                                                                                                                                                                 |
| Nennaufnahme/Nennstrom / Rated input power/current:      | 2000W                                                                                               |                                                                                            |                                                                                                                                                                 |
| Anschlußdaten-Hydraulik / Connection to hydraulic power: | N/A                                                                                                 |                                                                                            |                                                                                                                                                                 |
| Anschlußdaten-Pneumatik / Connection to pneumatic power: | N/A                                                                                                 |                                                                                            |                                                                                                                                                                 |
| Anschlußdaten-Wasser / Connection to water installation: | N/A                                                                                                 |                                                                                            |                                                                                                                                                                 |
| Gewicht / weight:                                        | 11.8kg(BG-C2);15.8kg(BG-04);15.5kg(BG-05)                                                           |                                                                                            |                                                                                                                                                                 |
| Lärmemission / noise emission (dB A):                    | N/A                                                                                                 |                                                                                            |                                                                                                                                                                 |
| Ausführung / Construction:                               | Ortsfest<br>Ortsveränderlich<br>Handgerät<br>Einbaugerät                                            | Stationary<br>Portable<br>Hand-held<br>Open-frame                                          | <input checked="" type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/>                                         |
| Schutzklasse / Protection class:                         | Schutzklasse I<br>Schutzklasse II<br>Schutzklasse III:                                              | Schutzleiteranschluß<br>Schutzisolation<br>Schutzkleinspannung/<br>interne Stromversorgung | PE-connection<br>Double insulation<br>SELV/Internally<br>powered<br><input checked="" type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/> |
| Schutzart / Degree of protection against liquids:        | IPXC                                                                                                |                                                                                            | <input checked="" type="checkbox"/>                                                                                                                             |
| Anschlußart / Supply connection:                         | Feste Anschlußleitung<br>Fester Anschluß<br>Gerätesteckverbindung                                   | Non detachable cord<br>Permanent connector<br>Appliance inlet                              | <input checked="" type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/>                                                                     |
| Netzbetriebsart / Rated operation:                       | Dauerbetrieb<br>Aussetzbetrieb<br>Kurzzeitbetrieb                                                   | Continuous operation<br>Intermittent operation<br>Short time operation                     | <input checked="" type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/>                                                                     |
| Material:                                                | a) Gehäuse / Enclosure: steel with coating + tempered safety glass<br>b) Leiterplatten / o.c.b.: EP |                                                                                            |                                                                                                                                                                 |

### Zusätzliche Angaben für Laser, Klassifizierung nach EN 60825

Additional information for Laser equipment, classification according to EN 60825

Klasse / Class: N/A

Wellenlänge / Wavelength: N/A

Pulsdauer / Pulse duration: N/A

Prüfbericht Nr. / Test Report No.: 48.401.13.0502.01

Ort / place: Xuzhou Feng County

Datum / date: 2014-09-01

Rev.00

Projektleiter / Project manager:

Stempel und Unterschrift /  
Seal and signature

# Aufbauübersicht für Elektrogeräte und Maschinen

## Data form for electrical equipment and machinery



Seite von  
Page 2 of 9

**Sicherheitsrelevante Bauteile:** (Schalter, Temperaturregler, Heizkörper, Stecker, Fassungen, Leitungen, Kondensatoren, Motoren und sonstige Wicklungen z.B. Transformatoren, Magnetspulen)  
(Not-Aus Geräte, 2-Handsteuerungen, Verriegelungsschalter, Sicherheits-Lichtschranken, Sicherheitsventile, Programmierbare Steuerungen-SPS, hydraulische Steuerungen, pneumatische Steuerungen .....)  
Safety relevant components: (switch, temperature regulator, heating element, plug, socket, wiring, capacitor, motors and other components with windings e.g. transformers, coils)  
(emergency off devices, 2-hand-control-devices, interlock switches, safety light barriers, safety valves, programmable electronic controllers -PLC, hydraulic controllers, pneumatic controllers .....)

| Bauteil/<br>Kind of component | Hersteller/<br>Manufacturer                   | Angaben über Typ, Stromstärke, Leistung,<br>Transformatorspezifikationsnummer, Isolationsklasse/<br>Information about type, current, power, transformer<br>specification number,<br>insulating class | Prüfzeichen von<br>Test mark from<br>(TÜV, VDE, BSI, UL etc.) |
|-------------------------------|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| Power plug                    | Ningbo Qiaopu Electric Co., Ltd.              | D03,<br>AC 250V, 16A                                                                                                                                                                                 | VDE 40002872                                                  |
| Power plug<br>(alternative)   | Ningbo Jingqi Electronics Co., Ltd.           | YF-003,<br>AC 250V, 16A                                                                                                                                                                              | VDE 40022721                                                  |
| Power plug<br>(alternative)   | Yuyao Yonglian Electrical Industry Co., Ltd.  | YL004,<br>AC250V, 16A                                                                                                                                                                                | VDE 40013672                                                  |
| Power plug<br>(alternative)   | Yuyao Jingyi Electronics Co., Ltd.            | JY-03,<br>AC250V, 16A                                                                                                                                                                                | VDE 40010586                                                  |
| Power plug<br>(alternative)   | Shangyu Jintao Electron Co.,Ltd.              | JT003;<br>AC250V, 16A                                                                                                                                                                                | VDE 40021286                                                  |
| Power plug<br>(alternative)   | Ningbo Yuxin Electrical Appliance Co., Ltd.   | YX03 AC250V,16A                                                                                                                                                                                      | VDE40021450                                                   |
| Power plug<br>(alternative)   | Ningbo Qiaopu Electric Co., Ltd.              | D09,<br>AC250V,13A                                                                                                                                                                                   | BSI<br>KM45980                                                |
| Power plug<br>(alternative)   | Ningbo Yuanhuan Electronics Group Corporation | Y006A<br>AC250V,13A                                                                                                                                                                                  | BSI<br>KM45980                                                |
| Power plug<br>(alternative)   | Ningbo Lingsheng Electric Co.,Ltd             | LA101A<br>250VAC 13A                                                                                                                                                                                 | BSI<br>KM17579                                                |
| <b>Power plug</b>             | <b>Ningbo Jiajie Electronic Co., Ltd.</b>     | <b>JF-03 AC250V,16A</b>                                                                                                                                                                              | <b>VDE 40030700</b>                                           |
| Power cord                    | Ningbo Qiaopu Electric Co. Ltd.               | H05VV-F<br>3G1.0 mm²                                                                                                                                                                                 | VDE 40035976                                                  |
| Power cord<br>(alternative)   | Ningbo Jingqi Electronics Co., Ltd.           | H05VV-F<br>3G1.0 mm²                                                                                                                                                                                 | VDE 40000532                                                  |
| Power cord<br>(alternative)   | Yuyao Yonglian Electrical Industry Co., Ltd.  | H05VV-F<br>3G1.0 mm²                                                                                                                                                                                 | VDE 40006992                                                  |
| Power cord<br>(alternative)   | Ningbo Lingsheng Electric Co., Ltd.           | H05VV-F<br>3G1.0 mm²                                                                                                                                                                                 | VDE 134675                                                    |

Prüfbericht Nr. / Test Report No.: 48.401.10.3502.01

Ort/ place: Xuzhou, Feng County

Datum/ date: 2014-09-01

Rev.00

Projektleiter / Project manager:

Stempel und Unterschrift /  
Seal and signature

# Aufbauübersicht für Elektrogeräte und Maschinen

## Data form for electrical equipment and machinery



Seite von  
Page 3 of 9

Sicherheitsrelevante Bauteile: (Schalter, Temperaturregler, Heizkörper, Stecker, Fassungen, Leitungen, Kondensatoren, Motoren und sonstige Wicklungen z.B. Transformatoren, Magnetspulen)  
(Not-Aus Geräte, 2-Handsteuerungen, Verriegelungsschalter, Sicherheits-Lichtschränken, Sicherheitsventile, Programmierbare Steuerungen-SPS, hydraulische Steuerungen, pneumatische Steuerungen ....)  
Safety relevant components: (switch, temperature regulator, heating element, plug, socket, wiring, capacitor, motors and other components with windings e.g. transformers, coils)  
(emergency off devices, 2-hand-control-devices, interlock switches, safety light barriers, safety valves, programmable electronic controllers -PLC, hydraulic controllers, pneumatic controllers ....)

| Bauteil/<br>Kind of component    | Hersteller/<br>Manufacturer                            | Angaben über Typ, Stromstärke, Leistung,<br>Transformatorspezifikationsnummer, Isolationsklasse/<br>Information about type, current, power, transformer<br>specification number,<br>insulating class | Prüfzeichen von<br>Test mark from<br>(TÜV, VDE, BSI, UL etc.) |
|----------------------------------|--------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| Power cord<br>(alternative)      | Ningbo Yuxin Electrical<br>Appliance Co., Ltd.         | H05VV-F<br>3G1.0 mm²                                                                                                                                                                                 | VDE40010796                                                   |
| <u>Power cord</u>                | <u>Ningbo Jialie Electronic<br/>Co., Ltd.</u>          | <u>H05VV-F</u><br><u>3G1.0 mm²</u>                                                                                                                                                                   | <u>VDE 40028223</u>                                           |
| Switch                           | Yueqing Rongwei Electric<br>Element Co., Ltd.          | RWB,<br>AC250V, 16A, 10E5, T85                                                                                                                                                                       | TUV Rheinland<br>R 50044503                                   |
| Switch (alternative)             | Ningbo Master Soken<br>Electrical Co., Ltd.            | RK1-15 16A, AC250V, T100.                                                                                                                                                                            | VDE 40012988                                                  |
| <u>Switch</u>                    | <u>Zhejiang LECI<br/>Electronic Co., Ltd.</u>          | <u>RS-606</u><br><u>16A(4), AC250V, T85</u>                                                                                                                                                          | <u>VDE 40021500</u>                                           |
| Flame motor                      | Gaoyao City Hengjun<br>Electric Appliance Co.,<br>Ltd. | TY50, AC 220-240V, 4W, 50/60Hz, IP00                                                                                                                                                                 | TUV Rheinland<br>R 50159560                                   |
| Flame motor<br>(alternative)     | Ningbo Sijia Electric<br>Appliance Co., Ltd.           | TY49, AC 230V, 50Hz, 4W, 0-40°C, IP00                                                                                                                                                                | TUV PS<br>B 13 03 45304 072                                   |
| Fan motor                        | W&W Motor Co., Ltd.                                    | YJF48/16, AC 230V, 50Hz, 15W, Class 130                                                                                                                                                              | TUV Rheinland<br>R 50124779                                   |
| Fan motor<br>(alternative)       | Shenzhen Zhaoli Motor<br>Co., Ltd.                     | YJF48/200 AC 230V, 50Hz, 14W, Class 130                                                                                                                                                              | VDE 40029676                                                  |
| Thermal cut-out                  | Chung Shun Industrial Co.                              | CH-005-H<br>AC250V, 10A, 10000 T1105                                                                                                                                                                 | TUV PS<br>B140789198001                                       |
| Thermal cut-out<br>(alternative) | Microtherm GmbH                                        | A70<br>AC250V, 10A, 10000 T1105                                                                                                                                                                      | VDE 40016368                                                  |
| Thermal cut-out<br>(alternative) | AuOne Electronic                                       | AUT105<br>AC 125 V / 250 V 16A T1105                                                                                                                                                                 | VDE 117928                                                    |
| Lamp holder E14                  | Xiaolan Town Ruicheng                                  | HD38,                                                                                                                                                                                                | VDE 40019136                                                  |

Prüfbericht Nr. / Test Report No.: 48.401.10.0502.01

Ort / place: Xuzhou Feng County

Datum / date: 2014-09-01  
Rev.00

Projektleiter / Project manager:

Stempel und Unterschrift /  
Seal and signature

# Aufbauübersicht für Elektrogeräte und Maschinen

## Data form for electrical equipment and machinery



Seite von  
Page 4 of 9

**Sicherheitsrelevante Bauteile:** (Schalter, Temperaturregler, Heizkörper, Stecker, Fassungen, Leitungen, Kondensatoren, Motoren und sonstige Wicklungen z.B. Transformatoren, Magnetspulen)  
(Not-Aus Geräte, 2-Handsteuerungen, Verriegelungsschalter, Sicherheits-Lichtschraken, Sicherheitsventile, Programmierbare Steuerungen-SPS, hydraulische Steuerungen, pneumatische Steuerungen .....)  
**Safety relevant components:** (switch, temperature regulator, heating element, plug, socket, wiring, capacitor, motors and other components with windings e.g. transformers, coils)  
(emergency off devices, 2-hand-control-devices, interlock switches, safety light barriers, safety valves, programmable electronic controllers -PLC, hydraulic controllers, pneumatic controllers .....)

| Bauteil/<br>K.no of component                             | Hersteller/<br>Manufacturer                             | Angaben über Typ, Stromstärke, Leistung,<br>Transformatorspezifikationsnummer, Isolationsklasse/<br>Information about type, current, power, transformer<br>specification number,<br>insulating class | Prüfzeichen von<br>Test mark from<br>(TÜV, VDE, BSI, UL etc.) |
|-----------------------------------------------------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| Lamp holder E14<br>(alternative)                          | Housekeeping Electrical<br>Appliance Fillings Factory   | E14, AC250V, 2A, T210                                                                                                                                                                                | ENEC 207670                                                   |
| Lamp holder G9                                            | Zhongsnan Ruijun<br>Appliance and<br>Lampholder Factory | RJ38,<br>E14, AC250V, 2A, T210                                                                                                                                                                       | Test in appliance                                             |
| Lamp holder G9<br>(alternative)                           | Guangzhou JlnYI Electric<br>Co., Ltd                    | PG-9EH 250V 200W                                                                                                                                                                                     | VDE40039561                                                   |
| Lamp bulb                                                 | Dongguan Kaixiang<br>Electric Co.,Ltd                   | KX-A01 250V 2A T250 (G9)                                                                                                                                                                             | Test in appliance                                             |
|                                                           | ~                                                       | E14-lamp for<br>40Wx2(BG-02); 40Wx3(BG-04 ,BG-05)<br>G9-lamp for<br>40W*2(BG-02); . 40W*3(BG-04; BG-05)                                                                                              |                                                               |
| Internal wire lead to<br>heating element                  | SHENZHEN DONG JU<br>WIRE & CABLE CO LTD                 | 1015, 105°C, AC600V,<br>16AWG; 18AWG                                                                                                                                                                 | UL E189674                                                    |
| Internal wire lead to<br>heating element<br>(alternative) | TRY COMPUTER CO<br>LTD                                  | 1015, 105°C, AC600V,<br>16AWG; 18AWG                                                                                                                                                                 | UL E200088                                                    |
| Internal wire lead to<br>heating element                  | Jiangyin Tianqi Silicon<br>Rubber Products Co., Ltd.    | 3122, 200°C AC600V<br>16AWG, 18AWG                                                                                                                                                                   | UL E225526                                                    |
| Internal wire lead to<br>heating element<br>(alternative) | Dongguan Nistar<br>Transmitting Technology<br>Co., Inc. | 3122, 200°C AC600V<br>16AWG, 18AWG                                                                                                                                                                   | UL E214184                                                    |
| Internal wire lead to<br>heating element<br>(alternative) | Shanghai Shenyuan High<br>Temperature Wire Co.,<br>Ltd. | 3122, 200°C AC600V<br>16AWG, 18AWG                                                                                                                                                                   | UL E252215                                                    |
| Internal wire lead to<br>heating element<br>(alternative) | Jiangyin Shengde Special<br>Wire & Cable Co., Ltd.      | 3122, 200°C AC600V<br>16AWG, 18AWG                                                                                                                                                                   | UL E302077                                                    |
| Internal wire lead to<br>lamp                             | KUNSHAN NEW<br>ZHICHENG                                 | 1015, 105°C, AC600V,<br>18-22AWG                                                                                                                                                                     | UL E237831                                                    |

Prüfbericht Nr. / Test Report No.: 46.401.10.0502.3'

Ort / place: Xuzhou Feng County

Datum / date: 2014-09-01  
Rev. 30

Projektleiter / Project manager:

Stempel und Unterschrift /  
Seal and signature

# Aufbauübersicht für Elektrogeräte und Maschinen

## Data form for electrical equipment and machinery



Seite von  
Page 5 of 9

Sicherheitsrelevante Bauteile: (Schalter, Temperaturregler, Heizkörper, Stecker, Fassungen, Leitungen, Kondensatoren, Motoren und sonstige Wicklungen z.B. Transformatoren, Magnetspulen)  
(Not-Aus Geräte, 2-Handsteuerungen, Verriegelungsschalter, Sicherheits-Lichtschranken, Sicherheitsventile, Programmierbare Steuerungen-SPS, hydraulische Steuerungen, pneumatische Steuerungen ....)  
Safety relevant components: (switch, temperature regulator, heating element, plug, socket, wiring, capacitor, motors and other components with windings e.g. transformers, coils)  
(emergency off devices, 2-hand-control-devices, interlock switches, safety light barriers, safety valves, programmable electronic controllers -PLC, hydraulic controllers, pneumatic controllers ....)

| Bauteil/<br>Kind of component               | Hersteller/<br>Manufacturer                             | Angaben über Typ, Stromstärke, Leistung,<br>Transformatorspezifikationsnummer, Isolationsklasse/<br>Information about type, current, power, transformer<br>specification number,<br>insulating class | Prüfzeichen von<br>Test mark from<br>(TÜV, VDE, BSI, UL etc.) |
|---------------------------------------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
|                                             | ELECTRONICS<br>TECHNOLOGIES CO<br>LTD                   |                                                                                                                                                                                                      |                                                               |
| Internal wire lead to<br>lamp (alternative) | SHENZHEN DONG JU<br>WIRE & CABLE CO LTD                 | 1015, 105°C, AC600V,<br>18-22AWG                                                                                                                                                                     | UL E189674                                                    |
| Internal wire lead to<br>lamp (alternative) | TRY COMPUTER CO<br>LTD                                  | 1015, 105°C, AC600V,<br>18-22AWG                                                                                                                                                                     | UL E200088                                                    |
| Internal wire lead to<br>lamp (alternative) | Jiangyin Tianqi Silicon<br>Rubber Products Co., Ltd.    | 3122, 200°C AC600V<br>18-22AWG                                                                                                                                                                       | UL E225526                                                    |
| Internal wire lead to<br>lamp (alternative) | Dongguan Nistar<br>Transmitting Technology<br>Co., Inc. | 3122, 200°C AC600V<br>18-22AWG                                                                                                                                                                       | UL E214184                                                    |
| Internal wire lead to<br>lamp (alternative) | Shanghai Shenyuan High<br>Temperature Wire Co.,<br>Ltd. | 3122, 200°C AC600V<br>18-22AWG                                                                                                                                                                       | UL E252215                                                    |
| Internal wire lead to<br>lamp (alternative) | SHANGHAI JIANGPENG<br>WIRE & CABLE CO LTD               | 3122, 200°C AC600V<br>18-22AWG                                                                                                                                                                       | UL E231450                                                    |
| Terminal block                              | Heavy Power Co., Ltd.                                   | PA9,<br>450V, 24A T110                                                                                                                                                                               | VDE 40016425                                                  |
| Heat-shrinkable<br>tube                     | SHENZHEN ARCHWAY<br>ELECTRONIC CO LTD                   | RSFR-X, 600V, 125°C                                                                                                                                                                                  | UL E308957                                                    |
| Heat-shrinkable<br>tube (alternative)       | Dongguan Salipt Co., Ltd.                               | SALIPT S-901-600, VW-1, AC 600V, 125°C                                                                                                                                                               | UL E209436                                                    |
| Heat-shrinkable<br>tube (alternative)       | JIANGSU DASHENG<br>HEAT-                                | HB DRS-1 VW-1; 600V 125°C                                                                                                                                                                            | UL E203831                                                    |
| Heat-shrinkable<br>tube (alternative)       | SHRINKABLE MATERIAL<br>CO LTD                           | RSFR-H 125°C VW-1 H 600V                                                                                                                                                                             | UL E329530                                                    |
| Heating element                             | CIXI Yiten Electronics<br>Factory                       | Ocr25AL5, 230V 900W*2                                                                                                                                                                                | Test in appiano e                                             |

Prüfbericht Nr. / Test Report No.: 45.401.10.0602.01

Ort / place: Xuzhou Feng County

Datum / date: 2014-09-01  
Rev.00

Projektleiter / Project manager:

Stempel und Unterschrift /  
Seal and signature

# Aufbauübersicht für Elektrogeräte und Maschinen

## Data form for electrical equipment and machinery



Seite von  
Page 6 of 9

**Sicherheitsrelevante Bauteile:** (Schalter, Temperaturregler, Heizkörper, Stecker, Fassungen, Leitungen, Kondensatoren, Motoren und sonstige Wicklungen z.B. Transformatoren, Magnetspulen)  
(Not-Aus Geräte, 2-Handsteuerungen, Verriegelungsschalter, Sicherheits-Lichtschränken, Sicherheitsventile, Programmierbare Steuerungen-SPS, hydraulische Steuerungen, pneumatische Steuerungen .....)

**Safety relevant components:** (switch, temperature regulator, heating element, plug, socket, wiring, capacitor, motors and other components with windings e.g. transformers, coils)

(emergency off devices, 2-hand-control-devices, interlock switches, safety light barriers, safety valves, programmable electronic controllers -PLC, hydraulic controllers, pneumatic controllers .....)

| Bauteil/<br>Kind of component                     | Hersteller/<br>Manufacturer                          | Angaben über Typ, Stromstärke, Leistung,<br>Transformatorspezifikationsnummer, Isolationsklasse/<br>Information about type, current, power, transformer<br>specification number, insulating class | Prüfzeichen von<br>Test mark from<br>(TÜV, VDE, BSI, UL etc.) |
|---------------------------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| Heating element<br>(alternative)                  | Cixi Huipu Electric Appliance Co., Ltd.              | Ocr25AL5, 230V 900W*2                                                                                                                                                                             | Test in appliance                                             |
| Heating element<br>(alternative)                  | Zhongsan Sanying Electric Appliance Co., Ltd.        | Ocr25AL5, 230V 900W*2                                                                                                                                                                             | Test in appliance                                             |
| PCB(Base material)                                | Kingboard Laminates Holdings Limited                 | KB6150/KB2150G, 1,6mm,94V-0                                                                                                                                                                       | VDE 006722                                                    |
| PCB(Base material)<br>(alternative)               | Changzhou city wujin Changsheng Electronic Co., Ltd. | CS-4, 1.6mm, 94V-0                                                                                                                                                                                | UL E248474                                                    |
| Transformer T1 on PCB                             | Ningbo Dechuang Electric Co., Ltd.                   | DCG-1100300A, Class 130<br>input: 230VAC, 50Hz,<br>output: 11V, 300mA<br>primary winding: 1064Ω (at 25°C)<br>secondary winding: 4.262Ω (at 25°C)                                                  | Test in appliance                                             |
| Thermal fuse used in transformer                  | HONG HU BLUELIGHT ELECTRONIC CO LTD                  | RH130-2 250VAC 2A;<br>Operation temp. 130°C                                                                                                                                                       | VDE40018233                                                   |
| Thermal fuse used in transformer<br>(alternative) | Aupo Electronics Ltd.                                | A4-1A-F, 250V 1A; Operation temp. 130°C                                                                                                                                                           | VDE40005586                                                   |
| X2 capacitor on PCB                               | Daln Electronic Co., Ltd.                            | MPX, AC 275V, 0.1μF, T110, X2                                                                                                                                                                     | VDE 40018798                                                  |
| X2 capacitor on PCB (alternative)                 | Aid Electronic Corporation                           | MEX, AC 275V, 0.1μF, T85, X2                                                                                                                                                                      | VDE 40028973                                                  |
| X2 capacitor on PCB (alternative)                 | Ultra Tech Xiphi Enterprise Co. Ltd.                 | HQX, AC 275V, 0.1μF, T100, X2                                                                                                                                                                     | VDE 40024534                                                  |
| X2 capacitor on PCB (alternative)                 | TENTA ELECTRIC INDUSTRIAL CO LTD                     | MEX 0.1uF X2 275VAC                                                                                                                                                                               | VDE 119119                                                    |

Prüfbericht Nr. / Test Report No.: 48.401.1C.0502.01

Ort / place: Xuzhou Feng County

Datum / date: 2014-09-01

Projektleiter / Project manager:

Stempel und Unterschrift /  
Seal and signature

Rev.00

# Aufbauübersicht für Elektrogeräte und Maschinen

## Data form for electrical equipment and machinery



Seite von  
Page 7 of 9

**Sicherheitsrelevante Bauteile:** (Schalter, Temperaturregler, Heizkörper, Stecker, Fassungen, Leitungen, Kondensatoren, Motoren und sonstige Wicklungen z.B. Transformatoren, Magnetspulen)  
**(Not-Aus Geräte, 2-Handsteuerungen, Vorriegelungsschalter, Sicherheits-Lichtschränken, Sicherheitsventile, Programmierbare Steuerungen-SPS, hydraulische Steuerungen, pneumatische Steuerungen .....)**  
**Safety relevant components:** (switch, temperature regulator, heating element, plug, socket, wiring, capacitor, motors and other components with windings e.g. transformers, coils)  
**(emergency off devices, 2-hand-control-devices, interlock switches, safety light barriers, safety valves, programmable electronic controllers -P.L.C., hydraulic controllers, pneumatic controllers .....)**

| Bauteil/<br>Kind of component    | Hersteller/<br>Manufacturer                                                  | Angaben über Typ, Stromstärke, Leistung,<br>Transformatorspezifikationsnummer, Isolationsklasse/<br>Information about type, current, power, transformer<br>specification number,<br>insulating class | Prüfzeichen von<br>Test mark from<br>(TÜV, VDE, BSI, UL etc.) |
|----------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| Relay on PCB                     | Xiamen Hongfa<br>Electroacoustic Co., Ltd.                                   | JQC-3FF-<br>12VDC-1HS, 10A 277VAC 12VDC TV-5                                                                                                                                                         | TUV Rheinland<br>R50108695                                    |
| Relay on PCB<br>(alternative)    | Ningbo Tianbo Ganglian<br>Electronics Co., Ltd.                              | HJR-3FF-S-H<br>10A/240VAC 12VDC T105°C                                                                                                                                                               | TUV Rheinland<br>R50116163                                    |
| Fuse on PCB                      | Conquer Electronics Co.,<br>Ltd.                                             | PGU 001, AC250V, 1A                                                                                                                                                                                  | VDE 40006777                                                  |
| Fuse on PCB<br>(alternative)     | XC Electronics(Shen<br>Zhen)Corp. Ltd.                                       | 3F-Series, AC250V, 1A                                                                                                                                                                                | VDE 40019636                                                  |
| Fuse on PCB<br>(alternative)     | Shenzhen Lanson<br>Electronics Co. Ltd.                                      | 3JF1A250V, AC 250V, 1A                                                                                                                                                                               | VDE 40009301                                                  |
| Fuse on PCB<br>(alternative)     | Dongguan Hongda<br>Electronic Technology<br>Co., Ltd.                        | 31TD 1A 250V                                                                                                                                                                                         | VDE40030816                                                   |
| Varistor on PCB                  | Bright king Inc.                                                             | 431K/471KD10<br>AC 300V, DC 385V                                                                                                                                                                     | VDE 40022070                                                  |
| Varistor on PCB<br>(alternative) | Thinking Electronic<br>Industrial Co., Ltd.                                  | TVR10431K/471K,<br>AC 300V, DC 385V                                                                                                                                                                  | VDE 005944                                                    |
| Varistor on PCB<br>(alternative) | Brightking (Shenzhen)<br>Co., Ltd.                                           | 10D431K/471K, AC300V,DC385V                                                                                                                                                                          | VDE40027827                                                   |
| Varistor on PCB<br>(alternative) | Shantou High-New<br>Technology Dev. Zone<br>Songtian Enterprise Co.,<br>Ltd. | STE-10D431K/471K AC300V, DC385V                                                                                                                                                                      | VDE40023049                                                   |
| Optical Isolators                | Fairchild Semiconductor<br>Pte Ltd.                                          | MOC3021, Viso=5000V, Ift=15mA, T100                                                                                                                                                                  | VDE 102497                                                    |
| SCR Q2 (sil'con                  | Wuxi Hongguang Micro-                                                        | BT138, 600V 12A T125                                                                                                                                                                                 | test in appliance                                             |

Prüfbericht Nr. / Test: Report No.: 48.401.10.05C2.3'

Ort/place: Xuzhou Feng County

Datum/date: 2014-09-01  
Rev.00

Projektleiter / Project manager:

Stempel und Unterschrift /  
Seal and signature

# Aufbauübersicht für Elektrogeräte und Maschinen

## Data form for electrical equipment and machinery



Seite von  
Page 8 of 9

**Sicherheitsrelevante Bauteile:** (Schalter, Temperaturregler, Heizkörper, Stecker, Fassungen, Leitungen, Kondensatoren, Motoren und sonstige Wicklungen z.B. Transformatoren, Magnetspulen)  
**(Not-Aus Geräte, 2-Handsteuerungen, Verriegelungsschalter, Sicherheits-Lichtschränke, Sicherheitsventile, Programmierbare Steuerungen-SPS, hydraulische Steuerungen, pneumatische Steuerungen .....)**  
**Safety relevant components:** (switch, temperature regulator, heating element, plug, socket, wiring, capacitor, motors and other components with windings e.g. transformers, coils)  
**(emergency off devices, 2-hand-control-devices, interlock switches, safety light barriers, safety valves, programmable electronic controllers -PLC, hydraulic controllers, pneumatic controllers .....)**

| Bauteil/<br>Kind of component                                | Hersteller/<br>Manufacturer                                                         | Angaben über Typ, Stromstärke, Leistung,<br>Transformatorspezifikationsnummer, Isolationsklasse/<br>Information about type, current, power, transformer<br>specification number, insulating class | Prüfzeichen von:<br>Test mark from<br>(TÜV, VDE, BSI, UL etc.) |
|--------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| controlled rectifier<br>Q2)                                  | electronics Co., Ltd.                                                               |                                                                                                                                                                                                   |                                                                |
| SCR Q2 (silicon<br>controlled rectifier<br>Q2) (alternative) | Changting County<br>products based electronic<br>product manufacturing<br>Co., Ltd. | BTA12, 600V 12A T125                                                                                                                                                                              | test in appliance                                              |
| Glass                                                        | --                                                                                  | tempered safety glass6mm/5mm                                                                                                                                                                      | Test in appliance                                              |
| Rating labels                                                |                                                                                     |                                                                                                                                                                                                   |                                                                |

Electric fireplace (Elektrischer Kamin)  
 Model: BG-02  
 220-240V ~, 50Hz, 2000W  
 Lamp: 2x40W E14 SFS Clear Candle Bulbs

Made in China  
 WARNING: Do not cover  
 Warnung: Nicht abdecken



Electric fireplace (Elektrischer Kamin)  
 Model: BG-02  
 220-240V ~, 50Hz, 2000W  
 Lamp: 2x40W G9 Clear Bulbs  
 X

Made in China  
 WARNING: Do not cover  
 Warnung: Nicht abdecken



Prüfbericht Nr. / Test Report No.: 48.401.10.0502.01

Projektleiter / Project manager:

Ort / place: Xuzhou Feng County

Stempel und Unterschrift /  
Seal and signature

Datum / date: 2014-09-01  
Rev.00

# Aufbauübersicht für Elektrogeräte und Maschinen


## Data form for electrical equipment and machinery



Seite von  
Page 9 of 9

**Sicherheitsrelevante Bauteile:** (Schalter, Temperaturregler, Heizkörper, Stecker, Fassungen, Leitungen, Kondensatoren, Motoren und sonstige Wicklungen z.B. Transformatoren, Magnetspulen)  
**(Not-Aus Geräte, 2-Handsteuerungen, Verriegelungsschalter, Sicherheits-Lichtschränken, Sicherheitsventile, Programmierbare Steuerungen-SPS, hydraulische Steuerungen, pneumatische Steuerungen ....)**  
**Safety relevant components:** (switch, temperature regulator, heating element, plug, socket wiring, capacitor motors and other components with windings e.g. transformers, coils)  
**(emergency off devices, 2-hand-control-devices, interlock switches, safety light barriers, safety valves, programmable electronic controllers -PLC, hydraulic controllers, pneumatic controllers ....)**

| Bauteil/<br>Kind of component | Hersteller/<br>Manufacturer | Angaben über Typ, Stromstärke, Leistung,<br>Transformatorspezifikationsnummer, Isolationsklasse/<br>Information about type, current, power, transformer<br>specification number,<br>insulating class | Prüfzeichen von<br>Test mark from<br>(TÜV, VDE, BSI, UL etc.) |
|-------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
|-------------------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Electric fireplace (Elektrischer Kamin)<br/>           Model: BG-04<br/>           220-240V ~, 50Hz, 2000W<br/>           Lamp: 3x40W E14 SES Clear Candle Bulbs<br/> <del>WUZHOU CHENHONG INDUSTRIAL CO., LTD.</del><br/>           Made in China<br/>           WARNING: Do not cover<br/>           Warnung: Nicht abdecken</p>        | <p>Electric fireplace (Elektrischer Kamin)<br/>           Model: BG-04<br/>           220-240V ~, 50Hz, 2000W<br/>           Lamp: 3x40W G9 Clear Bulbs<br/> <del>WUZHOU CHENHONG INDUSTRIAL CO., LTD.</del><br/>           Made in China<br/>           WARNING: Do not cover<br/>           Warnung: Nicht abdecken</p>        |
| <p>Electric fireplace (Elektrischer Kamin)<br/>           Model: BG-05<br/>           220-240V ~, 50Hz, 2000W<br/>           Lamp: 3x40W E14 SES Clear Candle Bulbs<br/> <del>WUZHOU CHENHONG INDUSTRIAL CO., LTD.</del><br/>           Made in China<br/>           WARNING: Do not cover<br/>           Warnung: Nicht abdecken</p>     | <p>Electric fireplace (Elektrischer Kamin)<br/>           Model: BG-05<br/>           220-240V ~, 50Hz, 2000W<br/>           Lamp: 3x40W G9 Clear Bulbs<br/> <del>WUZHOU CHENHONG INDUSTRIAL CO., LTD.</del><br/>           Made in China<br/>           WARNING: Do not cover<br/>           Warnung: Nicht abdecken</p>     |

**Remark:** Name and address of EU-based manufacturer, or authorized representative or importer must be affixed to the product when the product place on the EU market.

Components with underline PAHs assessed or tested according to ZEK 01.4-08, and found to be met. The details refer to the PAHs Evaluation Report.

Prüfbericht Nr. / Test Report No.: 48.401.10.0502.01

Ort/place: Xi Zhou Fang County

Datum/date: 2014-09-01  
Rev.00

Projektleiter / Project manager:

Stempel und Unterschrift /  
Seal and signature